

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | | |
|--------------------------|-------------|-------------|----------------------|---------------------|------------------|--|--|
| 10/669,465 09/25/2003 | | 09/25/2003 | Joseph H. Thompson | E0710.0000/P001-A | 4570 | | |
| 24998 | 7590 | 03/08/2006 | | EXAMINER | | | |
| DICKSTEI 2101 L Stree | | IRO MORIN & | NGUYEN, M | NGUYEN, MERILYN P | | | |
| Washington, DC 20037 | | | | ART UNIT | PAPER NUMBER | | |
| | | | | 2163 | | | |

DATE MAILED: 03/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | Application No. | | Applicant(s) | | | | | |
|--|--|--|--|--|---|-------------|--|--|--|--|
| Office Action Summary | | | 10/669,465 | | THOMPSON ET AL. | | | | | |
| | | | Examiner | | Art Unit | | | | | |
| | | | Merilyn P. Nguye | n . | 2163 | | | | | |
| Period fo | The MAILING DATE of this commun or Reply | nication appe | ars on the cover | sheet with the co | orrespondence ad | ldress | | | | |
| WHIC - Exter after - If NO - Failu Any r | ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE Masions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this composition of the period for reply is specified above, the maximum state to reply within the set or extended period for reply eply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b). | MAILING DAT s of 37 CFR 1.136(munication. tatutory period will y will, by statute, ca | TE OF THIS CC (a). In no event, howen apply and will expire to a polication to | OMMUNICATION over, may a reply be time SIX (6) MONTHS from to become ABANDONED | l. ely filed the mailing date of this c) (35 U.S.C. § 133). | | | | | |
| Status | | | | | | | | | | |
| 1) | Responsive to communication(s) file | ed on . | | | | | | | | |
| 2a)□ | - | | ction is non-fina | al. | | | | | | |
| 3)[| | | | | | | | | | |
| ,— | closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. | | | | | | | | | |
| Dispositi | on of Claims | | | | | | | | | |
| 4)🖂 | Claim(s) 1-19 and 21 is/are pending | in the applic | cation. | | | | | | | |
| • | 4a) Of the above claim(s) <u>20</u> is/are withdrawn from consideration. | | | | | | | | | |
| | 5) Claim(s) is/are allowed. | | | | | | | | | |
| · - | ⊠ Claim(s) <u>1-19 and 21</u> is/are rejected. | | | | | | | | | |
| - | _ | | | | | | | | | |
| · · · | Claim(s) are subject to restrict | ction and/or | election require | ment. | | | | | | |
| Applicati | on Papers | | | | | | | | | |
| | · | a Evaminar | | | | | | | | |
| | 9) The specification is objected to by the Examiner. 10\ \times The drawing(s) filed on 25 September 2003 is/are: 3\ \times 3 secented or b\ \times objected to by the Examiner. | | | | | | | | | |
| ובשולטו | 10)☑ The drawing(s) filed on <u>25 September 2003</u> is/are: a)☑ accepted or b)☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | | | | | |
| | Replacement drawing sheet(s) including | | | | | FR 1 121(d) | | | | |
| 11) | The oath or declaration is objected to | = | • | | | | | | | |
| Priority u | ınder 35 U.S.C. § 119 | • | | | | | | | | |
| • | Acknowledgment is made of a claim ☐ All b)☐ Some * c)☐ None of: | for foreign p | riority under 35 | U.S.C. § 119(a)- | -(d) or (f). | | | | | |
| ,- | 1. Certified copies of the priority documents have been received. | | | | | | | | | |
| | 2. Certified copies of the priority documents have been received in Application No | | | | | | | | | |
| | 3. Copies of the certified copies | | | | | Stage | | | | |
| | application from the Internation | • | = | | | · · | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | | | | | |
| | | | | | | | | | | |
| Attachment | t(s) | | | | | | | | | |
| 1) Notice | e of References Cited (PTO-892) | | | Interview Summary (| | | | | | |
| 2) 🔲 Notice | e of Draftsperson's Patent Drawing Review (F | | | Paper No(s)/Mail Dai | te atent Application (PTC | D 152\ | | | | |
| | nation Disclosure Statement(s) (PTO-1449 or · No(s)/Mail Date <u>09/25/03&01/30/06</u> . | PTO/SB/08) | | Notice of Informal Pa Other: <u>Detailed Actio</u> | | J-102) | | | | |

Art Unit: 2163

4.

DETAILED ACTION

1. Claims 1-19 and 21 are pending in this action as the result of the withdrawal of claim 20.

2. This application is the continuation of 09/684,907 now patent No. 6,810,401.

Election/Restrictions

- 3. Restriction to one of the following inventions is required under 35 U.S.C. 121:
- I. Claims 1-19 and 21, drawn to a system for configuring the project of product based upon database rule-based using user interface, database accessing and classified in class 707, subclass 1.
- II. Claim 20, drawn to a system for Internet portal e-commerce transactions, allow Internet user can configure products and ordering products via Internet, e-business shopping, classified in class 705, subclass 26.
- Inventions I and II are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instance case, invention I can be used for configuring the project of product based upon database rule-based using user interface and database accessing. Invention II can be used for Internet portal e-commerce transactions, allow

The inventions are distinct, each from the other because of the following reasons:

Internet user can configure products and ordering products via Internet and e-business shopping. See MPEP 806.05(d).

Application/Control Number: 10/669,465 Page 3

Art Unit: 2163

5. Because inventions are distinct for reasons given above and have acquired separate status in the art as shown their different classification, restriction for examination purpose as indicated is proper.

- 6. During telephone conversation with Mr. Eric Olive on March 03, 2006, provisional election was made with traverse to prosecute the invention of Group I claims 1-19 and 21. Affirmation of this election must be made by applicant in replying to this Office Action. The claim 20 is withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.
- 7. Applicants is reminded that upon the cancellation of claims to be non-elected invention, the inventorship must be amended in compliance with 37 CFR 1 .48 (b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1 .48 (b) and by the fee required under 37 CFR 1 .17 (i).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2163

8. Claims 1-19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Quintero et al (U.S. Patent No. 5,293, 479) in view of Tsuda (U.S. Patent No. 5,175,795).

Regarding claim 1, Quintero discloses configuration system (product designing with components assembling, col. 1, lines 10-17, col. 4, lines 53-61), user interface (expert user interface, col. 8, lines 59-67 to col. 9, lines 1-29), wherein the user interface receives input data for a desired configuration (col. 4, Lines 53-67 to col. 5, lines 1-24, Note: design tool with user interface designs and assembles components for any configuration, col. 9, Lines 29-37), see (108, FIG. 1, FIG. 6, FIG. 7A, col. 4, lines 7-67 to col. 5, Lines 1-37), and

receiving data input from the user interface (expert user interface, col. 8, lines 59-67 to col. 9, Lines 1-29), and outputs configuration data to the user interface (FIG. IA-D) in response to a frame-based inference (inference engine, col. 8, Lines 37-64, col. 9, Lines 29-37, col. 15, lines 45-57, col. 2, Lines 9-25, Note: inference engine includes component (frame is a basic component of furniture, col. 4, Lines 3-25, col. 9, lines 28-37) selecting and connecting, thus, auto frame connection is done by inference engine) of the input data, see (col. 9, Lines 65-67 to col. 10, Lines 1-33). Quintero does disclose the frame assembling (See FIG. IA-D, col. 2, lines 46-50, col. 4, lines 12-25). Quintero does not explicitly disclose "the frame engine". On the other hand, Tsuda teaches a "frame engine" (See Abstract and Fig. 18 and col. 16, lines 4-11, Tsuda et al.). However, the definition of engine is an analogous piece of software or program functions. And disclosed system is a configuration and assembling (e.g., designing furniture processing) basic component of frame of furniture. And system of Quintero assembles frames by

Art Unit: 2163

software functions. Therefore, it would have been obvious a person having ordinary skill in the art the time invention was made to include the frame engine of Tsuda in the system of Quintero because the software program function assembles the frame component to make the furniture product. The motivation would have been to execute procedures to predict performance value of product.

Regarding claim 2, Quintero/Tsuda discloses the database coupled to the frame engine (as discussed above in claim1), storing configuration data selectively retrieved for output in response to inferences made by the frame engine (See col. 9, Lines 8-59).

Regarding claim 3, Quintero/Tsuda discloses the frame engine subjects configuration data to be output to the user interface to pertinent rule-based inferences (See col. 7, Lines 47-67 to col. 8, Lines 1-67) before being output to the user interface (See col. 8, Lines 36-67 to col. 9, Lines 1-59).

Regarding claim 4, Quintero/Tsuda discloses the rule engine, coupled to the frame engine, wherein the rule engine subjects selected configuration data to be output to the user interface to pertinent rule-based inferences before being output to the user interface, (See col. 8, Lines 36-67 to col. 9, lines 1-59).

Regarding claims 5 and 18, Quintero/Tsuda discloses that the frame engine represents data concerning configuration in a hierarchical structure, with frame corresponding to configuration categories, wherein the frames acts as node of the

Art Unit: 2163

hierarchical structure containing a collection of slots corresponding to configuration features and options (see col. 12, lines 64-67 to col. 13, lines 1-12).

Regarding claim 6, Quintero/Tsuda discloses that the database stores data representative of product knowledge pertaining to products that may be configured by the system, see (col. 18, lines 55-67 to col. 19, lines 1-67 to col. 20, lines 1-63).

Regarding claim 7, Quintero/Tsuda discloses that the database stores a plurality of questions for selectively output the user interface based on frame-based inferences made by the frame engine in response to answers (col. 9, lines 65-67 to col. 10, lines 1-24) input through the user interface, (see col. 18, lines 55-67 to col. 19, lines 1-67 to col. 20, lines 1-63).

Regarding claim 8, Quintero/Tsuda discloses that the system comprising data analysis subsystem pertaining analysis of configuration data to be output to the user interface, see (col. 8, lines 58-67 to col. 9, lines 1-67 to col. 10, lines 1-63), graphics formatting output subsystem providing graphical representations of configuration data output to the user interface (see col. 8, lines 58-67 to col. 9, lines 1-67 to col. 10, lines 1-63).

Regarding claim 9, Quintero/Tsuda discloses that the data analysis subsystem comprises a pricing engine providing data corresponding to the configuration data output to the user interface (see FIG. 5, FIG. 13A-B, FIG. 14, col. 2, lines 9-36).

Art Unit: 2163

Regarding claim 10, Quintero/Tsuda discloses that the graphics formatting output subsystem comprises a parametric drawing engine providing illustrations of configuration data to the user interface, see (col. 8, lines 58-67 to col. 9, lines 1-67 to col. 10, lines 1-63).

Regarding claims 11 and 17, Quintero/Tsuda discloses that the method and article of manufacturing for machine-readable storage medium of configuring a project, accessing a user interface, see (expert user interface, user command, col. 8, lines 59-67 to col. 9, lines 1-29, col. 13, lines 24-34), initiating a project for configuration, see (design project, col. 6, lines 37-48, col. 19, lines 33-42); configuring (design) the project by entering in response to project selections, see (col. 4, lines 33-62, col. 6, lines 37-48); in response to project made in the configuring step, see (col. 4, lines 33-62, col. 6, lines 37-48); and outputting project configuration data to the user interface based on inferences (inference engine, col. 9, lines 28-37) made, see (expert user interface, output tools and graphic system (col. 9, lines 37-59) are used to display output of configuration and all designing procedures, see (FIG. IA-D, col. 8, lines 58-67 to col. 9, lines 1-37, col. 9, lies 65-67 to col. 10, lines 1-33). Quintero does not explicitly disclose the frame-based inference. On the other hand, Tsuda discloses a frame-based inference (see col. 4, lines 5-13 and Fig. 5 and col. 8, lines 39-55, Tsuda et al.). Because Quintero's disclosed system is a design tool for product (e.g., designing furniture) using computer aided design (CAD) software system. And a frame is a basic component of furniture designing (col. 4, lines 12-25). The inference engine includes component (frame) selecting and connecting, thus, auto frame connection is done by inference engine, see (col. 8, lines 37-64, col. 9, lines

Art Unit: 2163

29-37, col. 15, lines 45-57, col. 2, lines 9-25), which means that the designing (connecting and assembling) each component (frame) is done by rule base inference engine. Therefore, it would have been obvious a person having ordinary skill in the art the time invention was made to include the frame-based inference in the system of Quintero to perform the auto-designing using knowledge based inference engine.

Because the frame-based inference engine selects and applies rules from rule base automatically, which improves design process time and prevents from illegal design by a user.

Regarding claim 12, Quintero/Tsuda discloses that configuring step involves answering a plurality of questions presented, wherein the questions to be presented during the configuring step are stored in a database and selected for presentation based on inferences made in the performing step, see (col. 9, lines 65-67 to col. 10, lines 1-24, col. 18, lines 55-67 to col. 19, lines 1-67 to col. 20, lines 1-63).

Regarding claim 13, Quintero/Tsuda discloses that the configuring step further comprises the substep of presenting preferred answers to select questions presented on the user interface, see (col. 9, lines 65-67 to col. 10, lines 1-24, col. 18, lines 55-67 to col. 19, lines 1-67 to col. 20, lines 1-63).

Regarding claim 14, Quintero/Tsuda discloses that the performing step further comprises the substep of performing a rules-based inference in response to project

Art Unit: 2163

selections made in the configuring step, see (col. 7, lines 16-67 to col. 8, lines 1-67 to col. 9, lines 1-65).

Regarding claim 15, Quintero/Tsuda discloses that the configuring step further comprises the substeps of graphically selecting parameters to configure the project based upon graphic representations of variations of characteristics of components to be selected for the project, see (col. 4, lines 53-61, col. 5, lines 24-67, col. 6, lines 37-48, col. 8, lines 36-67 to col. 9, lines 1-60); manipulating schematically configured illustrations of components to be selected for the project, see (col. 4, Lines 53-61, col. 5, Lines 24-67, col. 6, Lines 37-48, col. 8, lines 36-67 to col. 9, lines 1-60).

Regarding claim 16, Quintero/Tsuda discloses that wherein the project to be configured includes a custom product (col. 1, lies 60-67 to col. 2, Lines 1-57), accessing a catalog page to display graphical and textual information pertinent to the product to be configured, see (col. 8, Lines 58-67 to col. 9, Lines 1-65); accessing a custom shapes editor to size a product upon configuration and to select a customized combination of dimensional parameters for the product, see (col. 11, lines 43-67 to col. 12, lines 1-67); accessing an accessories module containing product accessory information, see (col. 11, lines 43-67 to col. 12, Lines 1-67); producing technical specifications containing technical information regarding the project as configured (see col. 12, lines 34-67 to col. 13, Lines 1-67 to col. 14, Lines 1-61).

Art Unit: 2163

Regarding claim 19, Quintero/Tsuda discloses that the performing step comprises the substep of subjecting selected configuration data of the project to pertinent rules-based inferences, see (col. 8, lines 36-67 to col. 9, lines 1-65).

Regarding claim 21, Quintero/Tsuda discloses organizing nodes on parent node and child node relationships, wherein each child node inherits attributes of a respectively associated parent node (See Fig. 18 and col. 16, lines 4-11, Tsuda et al.).

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Merilyn P Nguyen whose telephone number is 571-272-4026. The examiner can normally be reached on M-F: 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Safet Metjahic can be reached on 571-272-4023. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and 703-746-7240 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

MN

March 04, 2006

FRANTZ COBY
PRIMARY EXAMINER